10670276

PLUS Search Results for S/N 10670276 Searched Dec 29, 2006.

The Patent Linguistic Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

20050071341
7149736
20050071320
6243384
5873074
5978793
5832484
20050125406
20050149475
6253193
6363488
6389402
6427140
6009432
5291583
5295256
5586255
5812996
5926810
5953451
6182058
6356913
6513041
6553365
6606638
6907422
6947946
7076507
20010000536
20010051946
20030182304
20040059750
20050102262
20050192996
20060161521
6282531
5327556
5920867
6035297
6151608
6374235
6996556
20040039729
20040002388
4298897
5293600
5253361
5253362
5301319
5943676
6092178
6317882
6898609
20030212660
20060190433
5630124

5182705
5204958
5778350
6023707
6236984
6839719
6970882
7076727
20030217074
20040133610
20040230594
20050091263
20060200774
5617566
5561778
5579499
5594881
5613142
5652873
5664160
5687343
5710915
5870747
5493671
5511186
5551027
5742806
5842212
5960194
5960428
6009427
6076105
6138111
6195661
4914569
4961134
5191652
5257365
5295261
5404512
5404513
5442782
5442784
5664172

WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Friday, December 29, 2006

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L143	L142 and (updat$3 near5 size)	3
☐	L142	L141 and (table near5 space)	21
☐	L141	(database near5 size).clm. and @py<=2003	242
☐	L140	(database near5 tun$3) and (table near5 space) and (delet$3 near5 record$1) and @py<=2003	6
☐	L139	l138 and (table near5 size)	1
☐	L138	L137 and (table near5 space)	1
☐	L137	(database$1 and size).ti. and @py<=2003	1139
☐	L136	((data near5 table$1) and (relational near5 table$1) and (table near5 space)).ab,clm. and @py<=2003	9
☐	L135	((delet$3 near5 table$1) and (reduc$3 near5 space)).ab. and @py<=2003	0
☐	L134	((delet$3 near5 table$1) same (reduc$3 near5 space)).ab. and @py<=2003	0
☐	L133	((relational near5 table$1) and (table near5 space)).clm. and @py<=2003	7
☐	L132	L131 and (record$1 near5 field$1)	9
☐	L131	L130 and (table near5 space)	20
☐	L130	L129 and (table near5 size$1)	85
☐	L129	(relational near5 table$1) .clm. and @py<=2003	489
☐	L128	((table$1 near5 size) and (relational near5 table$1) and (response near5 time)).clm. and @py<=2003	0
☐	L127	L126 and (instance$1 near5 condition$1)	0
☐	L126	L125 and (record$1 near5 field$1)	23
☐	L125	L124 and (relational near5 table$1)	28
☐	L124	L123 and (table near5 size$1)	100
☐	L123	(delet$3 near5 table$1) and (delet$3 near5 record$1) and (creat$3 near5 record$1) and @py<=2003	505
☐	L122	L121 and (delet$3 near5 record$1)	3
☐	L121	L120 and row$1 and instance$1	13
☐	L120	L119 and (materializ$2 near5 view$1)	17
☐	L119	(database near5 table$1) same (table near5 size$1) and @py<=2003	306
☐	L118	L117 and record$1	13
☐	L117	L115 and create$3	13

☐	L116	L115 and flag$1	4
☐	L115	L113 and record$1 and field$1	13
☐	L114	L113 and (multipe near5 table$1)	0
☐	L113	L112 and delet$3 and updat$3	15
☐	L112	L111 and instance$1	17
☐	L111	(star near5 schema) and (create near5 table$1) and cube and @py<=2003	28
☐	L110	L109 and (table near5 size)	4
☐	L109	L108 and (second near5 table)	17
☐	L108	L107 and (first near5 table)	21
☐	L107	l105 and instance$1	25
☐	L106	L105 and (multiple near5 instance$1)	1
☐	L105	L104 and (creat$3 near5 table$1)	35
☐	L104	L97 and (delet$3 near5 record$1)	48
☐	L103	L102 and olap	5
☐	L102	5852818 .uref.	23
☐	L101	L100 and active and inactive and condition$1	0
☐	L100	l97 and (database near5 tun$3)	8
☐	L99	L98 and (multiple near5 instance$1)	9
☐	L98	L97 and (multiple near5 database$1)	144
☐	L97	(relational and database$1).ti. and @py<=2003	1340
☐	L96	L95 and (inactive near5 record$1)	2
☐	L95	L94 and (active near5 record$1)	21
☐	L94	L93 and (field$1 near5 value$1)	149
☐	L93	L92 and (table$1 near5 instance$1)	276
☐	L92	L91 and (data near5 record$1)	1465
☐	L91	L90 and (structured query language)	2834
☐	L90	(creat$3 near5 table$1) and (creat$3 near5 database$1) and @py<=2003	3407
	DB=PGPB; PLUR=YES; OP=OR		
☐	L89	US-20020161748-A1.did.	1
☐	L88	US-20020161748-A1.did.	1
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
☐	L87	L85 and (query near5 language$1)	1
☐	L86	L85 and command$1 and sql	0
☐	L85	(database$1 and record$13 and multiple).ti. and @py<=2003	138
☐	L84	(database$1 and record$1 and tun$3).ti. and @py<=2003	0
☐	L83	(multiple and instance$1 and database$1).ti. and @py<=2003	4
☐	L82	L81 and (creat$3 near5 'deleted records')	1
☐	L81	L66 and (deleted records)	50

☐	L80	L66 and (deleted records table)	0
☐	L79	L72 and (deleted records table)	0
☐	L78	L77 and (deleted near5 record$1)	1
☐	L77	L73 and (second near5 table)	10
☐	L76	L73 and (inactive near5 active)	0
☐	L75	L73 and (inactive near5 field$1)	0
☐	L74	L73 and (inactive near5 instance$1)	0
☐	L73	L72 and (instance near5 record$1)	28
☐	L72	L71 and L66	155
☐	L71	(relational near5 database$1) and (multiple near5 instance$1)	1948
☐	L70	L69 and (table$1 near5 multiple instance$1)	1
☐	L69	L68 and (generat$3 near5 data)	5
☐	L68	L67 and (active near5 instance$1)	19
☐	L67	L66 and (inactive near5 instance$1)	19
☐	L66	(first near5 database) and (second near5 database) and @py<=2003	7666
☐	L65	L64 and (query$3 near5 table$1)	6
☐	L64	L63 and (updat$3 near5 record$1)	24
☐	L63	L62 and (summary near5 table$1)	32
☐	L62	(source near5 database$1) and (multiple near5 instances) and @py<=2003	428
☐	L61	(relational near5 table$1) and (source near5 database) and (target near5 database$1) and (second near5 table$1) and (multiple near5 instances) and record$1 and (data near5 type$1) and sql and command$1 and @py<=2003	3
☐	L60	pl$sql and olap and cube and view$1 and table$1 and record$1 and instance$1 and database$1 and delet$3 and updat$3 and creat$3 and command$1 and @py<=2003	1
☐	L59	(database$1 near5 view$1) and (summary near5 table$1) and (assign$3 near5 record$1) and (updat$3 near5 record$1) and (record$1 near5 instance) and @py<=2003	2
☐	L58	L57 and olap and cube	0
☐	L57	L56 and (multiple near5 instances)	38
☐	L56	L54 and (join near5 table$1)	84
☐	L55	L54 and (join nar5 table$1)	0
☐	L54	(first near5 database) and (second near5 database) and relational and record$1 and sql and command$1 and (table near5 view$1) and @py<=2003	167
☐	L53	L52 and (assign$3 near5 record$1)	3
☐	L52	L51 and (modify$3 near5 table$1)	26
☐	L51	L50 and commands	213
☐	L50	L49 and table$1 and view$1 and query$3 and sql	260
☐	L49	(data near5 type$1) and (multiple near5 instances) and (relational near5 database$1) and @py<=2003	609

☐	L48	(relational and instances).ti.	30
☐	L47	(relational and instances and sql).ti.	0
☐	L46	(relational and instances and record$1 and sql).ti.	0
☐	L45	L44 and olap	0
☐	L44	L43 and cube	27
☐	L43	L42 and attribute$1 and field$1	27
☐	L42	L41 and delet$3 and assign$3 and record$1	27
☐	L41	L40 and sql and command$1	27
☐	L40	L38 and active and inactive	27
☐	L39	L38 and (active near5 record$1) and (inactive near5 record$1)	0
☐	L38	L37 and sql and pl$sql	35
☐	L37	L36 and (updat$3 near5 view$1)	61
☐	L36	L35 and (creat$3 near5 view$1)	147
☐	L35	(multiple near5 instances) and (relational near5 databases) and @py<=2003	809
☐	L34	(multiple near5 instances) and (relational near5 databases)	1943
☐	L33	6163781.pn.	2
☐	L32	6601062.pn.	2
☐	L31	L30 and olap and sql and view$1	7
☐	L30	(multiple near5 database$1) and (multiple near5 instances) and record$1 and field$1 and relational and @py<=2003	318
☐	L29	L28 and ((active or inactive) near5 condition$1)	1
☐	L28	L27 and (table$1 near5 view$1)	36
☐	L27	(instance$1 near5 table$1) and (instance$1 near5 database$1) and (instance$1 near5 record$1) and (relational near5 database$1) and @py<=2003	129
☐	L26	L25 and (analysis near5 data)	3
☐	L25	L20 and trigger$1	34
☐	L24	L20 and olap	0
☐	L23	L20 and (active near5 field$1) and (inactive near5 field$1)	0
☐	L22	L20 and (active near5 table$1) and (inactive near5 table$1)	0
☐	L21	L20 and (active near5 record$1) and (inactive near5 record$1)	0
☐	L20	L19 and (first near5 database) and (second near5 database)	53
☐	L19	(multiple near5 instances) and (relational near5 table$1) and (sql near5 query$3) and record$1 and field$1 and (data near5 type$1) and @py<=2003	120
☐	L18	(olap and cube$1 and trigger$1 and record$1 and instance$1 and relational and table$1 and attribute$1 and field$1 and command$1 and active and inactive and updat$3 and delet$3 and creat$3) and @py<=2003	0
☐	L17	L15 and olap	0
☐	L16	L15 and snapshot$1	3

(multiple near5 database$1) and (multiple near5 instance$1) and (multiple near5

☐	L15	table$1) and record$1 and field$1 and (active near5 instance$1) and updat$3 and delet$3 and assign$3 and creat$3 and @py<=2003	14
☐	L14	(customer$1 near5 table$1) and (shipp$3 near5 table$1) and (instance$1 near5 multiple) and @py<=2003	6
☐	L13	(customer$1 near5 table$1) and (shipp$3 near5 table$1) and (instance$1 near5 multiple) and olap and cube and (active near5 instance$1) and @py<=2003	0
☐	L12	L11 and view$1	4
☐	L11	L10 and trigger$1	6
☐	L10	L9 and delet$3	20
☐	L9	L8 and record$1	26
☐	L8	L6 and updat$3	26
☐	L7	L6 and olap	0
☐	L6	(first near5 database) and (second near5 database) and (first near5 table) and (second near5 table) and (multiple near5 instances) and sql and @py<=2003	28
☐	L5	(first near5 database) and (second near5 database) and (first near5 table) and (second near5 table) and (multiple near5 instances) and sql and olap and cube and (star near5 schema) and delet$3 and creat$3 and view$1 and assign$3 and record$1 and attribute$1 and updat$3 and active and inactive and condition$1 and @py<=2003	0
☐	L4	(relational and table$1 and cube and multiple and instances and condition$1 and sql and active and inactive and field$1 and attribute$1 and updat$3 and creat$3 and assign$3 and record$1 and delet$3 and database$1 and olap and schema) and @py<=2003	3
☐	L3	L2 and (multiple near5 instances)	1
☐	L2	L1 and (star near5 schema)	16
☐	L1	(relational and database$1 and record$1 and instances and table$1 and field$1 and creat$3 and view$1 and delet$3 and value$1 and updat$3 and olap and cube) and @py<=2003	39

END OF SEARCH HISTORY